


ALWAYS AT Your service! The WB625

Our new workbench WB625 offers maximum storage space with seven extra-wide drawers and is also extremely robust. One practical feature: the beech wood multiplex worktop with a working height of 104 cm is FSC certified. Includes individually attachable paper roll holder for paper rolls up to 30 cm wide.

2 -



Code 85 01 06 25



A STAHLWILLE exclusive: the convenient **work height** of **104 cm** promotes a strain-free working stance. The robust construction and the **beech multiplex worktop** guarantee the typical durability for which STAHLWILLE is known.

Three-stage safety logic: central

locking with recessed cylinder lock at the side. Together with the fold-down key, this reduces injuries and damage. **Individual locks** prevent inadvertent opening in transit – **topple-proof** construction prevents opening more than one drawer at a time.



VSTAHLWILLEI

XXL for everything. Seven removable drawers with fullextension rails and a width of 880 mm provide plenty of storage space. The beech wood multiplex worktop is not only particularly large (1150 x 500 x 30 mm), but also FSC-certified.



Oil and acid-resistant smoothrunning wheels (Ø 125 mm) with carpet protection to prevent ingress of dirt and fibres into bearings, with two parking brakes.

EVERYTHING IS XXL.

Seven removable drawers with full-extension rails and a width of 880 mm provide plenty of storage space. The beech wood multiplex worktop is not only particularly large (1150 x 500 x 30 mm), but also FSC-certified.

The new WB625 offers all the many features of the well-known WB620 Mobile Workbench.

115 cm wide | 7 drawers | 3 cm-thick beech-wood multiplex worktop

XXL

FSC-certified wood

Including paper roll holder

Particularly robust thanks to the well thought-out, sturdy construction.

←⁵⁰⁰→

ight-out, sturdy struction.

Up to five inlays in one drawer. 750 kg 40 kg 370 mm 60 kg 1045 880 x 351 x 75 mm 880 x 351 x 110 mm 880 x 351 x 110 mm 880 x 351 x 150 mm High-grade materials guarantee the typical durability for which STAHLWILLE is known. For example, the robust body and drawers with industrial powder coating. The new design with black drawers stands out particularly well.


STSTAHLWILLEI

OPTION 1





No	Contents (one off each)	No	Contents (one off each)
40	Sockets, 1/4", 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm	17F	Ratchet combination spanners, 8; 10; 13; 17; 19 mm
52	Sockets, 1/2", 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm	4628	Electrician's flat-bladed screwdriver DRALL+, size 1 (0.4 x 2.5 x 60 mm)
405QR	QR extensions, 1/4", 54; 150 mm	4620	Flat-bladed screwdriver DRALL+, size 2 (0.8 x 4.0 x 100 mm); size 6 (1.6 x 10.0 x 200 mm)
415QR N	QR fine-tooth ratchet, 1/4"	4620	Phillips* screwdrivers DRALL+, PH1; PH2; PH3
412	Bit holder, 1/4"	4630	
3116	Bit adaptor	12320	Electrician's penknife
509QR	QR extensions, 1/2", 130; 255 mm	12935	Tape measure, 3 m
5120R N	QR fine-tooth ratchet, 1/2"	12600	Mini magnetic lifter, 270 g
410	Square-drive adapter, 1/4" to 1/2"	13111	Wooden folding rule, 2 m
513	Square-drive adapter, 1/2" to 3/8"	10771/8	Set of ball-end hexagon key wrenches TORX*, T9; T10; T15; T20; T25; T27;T30; T40
4008	Ratcheting bit-holders, sizes 1; 2	10765/0	Set of hexagon key wrenches,
4007	Bit holder, 1/4"	10765/9	1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm
1206	Bit set, 1/4", 56-pce. set: bit holder, with quick release and	10961	Engineer's hammer, 500 g
	magnet, length: 65 mm L 25 mm: SL 4; 5; 6 mm (2 x)	10959	Soft-faced deadblow mallet, 35 mm
	PH 1; 2; 3 (3 x) PZ 1; 2; 3 (3 x) T 10; 15; 20; 25; 27; 30;	102/175	Flat cold chisel, flat oval, 175 mm
	40 (2 x) TBO 10; 15; 20; 25; 27; 30; 40 INHEX 3; 4; 5 mm L 75 mm: SL 6 mm PH 2; 3 PZ 1; 2 T 20; 25	108/150	Pin punch, octagonal, 150 x 6 mm
6551 6 240	Slip-joint pliers, 240 mm	105/100	Centre punch, octagonal, 100 x 10 mm
6602 5 160	Heavy-duty side-cutters, 160 mm	109/6	Pin punch, 3.4 mm
6529 3 200	Snipe-nose pliers, 200 mm	104/120	Drift punch, octagonal, 120 x mm
		6543	Circlip pliers, J2
6501 3 180 13	Combination pliers, 180 mm Combined open-jaw & ring spanners, 6; 7; 8; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm	6544	Circlip pliers, J21
		6545	Circlip pliers, A2
4025	Adjustable spanner, 10	6546	Circlip pliers, A21



*Recommended price. Only available through participating distributors and as long as stocks last.

0

STAHLWILLEI



TCS inlay system

With a width of 880 mm, the seven extra-wide drawers offer plenty of space for your tools. For example, one size 3/3 (XL) TCS inlay together with one 2/3 (L) TCS inlay will fit in one drawer. **OPTION 2**



WB625 incl. 267-pce. set of premium tools

Code 98 83 01 81



1/4' 1/2' QR

00





No	Contents (one off each)
40	Sockets, 1/4", 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
52	Sockets , 1/2", 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 24; 27; 30; 32 mm
405QR	QR extensions, 1/4", 54; 150 mm
415QR N	QR fine-tooth ratchet, 1/4"
412	Bit holder, 1/4"
3116	Bit adaptor
509QR	QR extensions, 1/2", 130; 255 mm
512QR N	QR fine-tooth ratchet, 1/2"
410	Square-drive adapter, 1/4" to 1/2"
513	Square-drive adapter, 1/2" to 3/8"
4008	Ratcheting bit-holders, sizes 1; 2
4007	Bit holder, 1/4"
1206	Bit set, 1/4", 56-pce. set: bit holder, with quick release and magnet, length: 65 mm L 25 mm: SL 4; 5; 6 mm (2 x) PH 1; 2; 3 (3 x) PZ 1; 2; 3 (3 x) T 10; 15; 20; 25; 27; 30; 40 (2 x) TB0 10; 15; 20; 25; 27; 30; 40 INHEX 3; 4; 5 mm L 75 mm: SL 6 mm PH 2; 3 PZ 1; 2 T 20; 25
6551 6 240	Slip-joint pliers, 240 mm
6602 5 160	Heavy-duty side-cutters, 160 mm
6529 3 200	Snipe-nose pliers, 200 mm
6501 3 180	Combination pliers, 180 mm
13	Combined open-jaw & ring spanners, 6; 7; 8; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm
4025	Adjustable spanner, 10
17F	Ratchet combination spanners, 8; 10; 13; 17; 19 mm
4628	Electrician's flat-bladed screwdriver DRALL+, size 1 (0.4 x 2.5 x 60 mm)
4620	Flat-bladed screwdriver DRALL ⁺ , size 2 (0.8 x 4.0 x 100 mm); size 6 (1.6 x 10.0 x 200 mm)
4630	Phillips [®] screwdrivers DRALL+, PH1; PH2; PH3
12320	Electrician's penknife
12935	Tape measure, 3 m
12600	Mini magnetic lifter, 270 g
13111	Wooden folding rule, 2 m
10771/8	Set of ball-end hexagon key wrenches TORX*, T9; T10; T15; T20; T25; T27; T30; T40
10765/9	Set of hexagon key wrenches, 1.5; 2; 2.5; 3; 4; 5; 6; 8; 10 mm

No	Contents (one off each)		
10961	Engineer's hammer, 500 g		
10959	Soft-faced deadblow mallet, 35 mm		
102/175	Flat cold chisel, flat oval, 175 mm		
108/150	Pin punch, octagonal, 150 x 6 mm		
105/100	Centre punch, octagonal, 100 x 10 mm		
109/6	Pin punch, 3.4 mm		
104/120	Drift punch, octagonal, 120 x mm		
4751	Electronics flat-bladed screwdrivers, size 4 (0.3 x 1.5 x 40); size 6 (0.4 x 2.0 x 60); size 7 (0.4 x 2.5 x 75); size 8 (0.5 x 3.0 x 75 mm)		
4752	Electronics Phillips [®] screwdrivers, PH00; PH0; PH1		
6540 6 120	Snipe nose pliers for electronics, 125 mm		
6604 6 110	Side-cutters for electronics, 112 mm		
900/6 T	Set of screw extractors, 6-pce. set		
12800	Set of warding files, 6-pce. set		
12036	Engineering file, flat, 260 mm		
12718	Flat scraper		
12965N	Safety knife		
12377	Wire brush		
13110	Steel rule, 300 mm		
12050	Hacksaw frame		
12322	Scribing iron		
13148	Wire cutter		
11095/20	Set of precision feeler gauges, 0.05; 0.10; 0.15; 0.20; 0.25; 0.30; 0.35; 0.40; 0.45; 0.50; 0.55; 0.60; 0.65; 0.70; 0.75; 0.80; 0.85; 0.90; 0.95; 1.00 mm		
12	Double-ended open-jaw spanners, 3.2; 3.5; 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13; 14 mm		
14	Combination spanners, 6; 8; 10; 13; 14; 17; 19; 21; 22; 24; 27; 30; 32 mm		
6543	Circlip pliers, J2		
6544	Circlip pliers, J21		
6545	Circlip pliers, A2		
6546	Circlip pliers, A21		
4620	Flat-bladed screwdriver DRALL+, size 3 (1.0 x 5.5 x 125 mm)		
4640	POZIDRIV [®] screwdrivers DRALL+, PZ0; PZ1; PZ2; PZ3		
4734	Phillips [®] screwdrivers, PH1; PH2		
10554	Voltage tester		

STAHLWILLE Eduard Wille GmbH & Co. KG · Lindenallee 27 · 42349 Wuppertal · Germany Tel.: +49 202 4791-0 · Fax: +49 202 4791-200 · info@stahlwille.de · www.stahlwille.de